



The pioneer of network equipment
OEM&ODM manufacturer



SHENZHEN ZHIBOTONG ELECTRONICS CO.,LTD.

COMPANY PROFILE

Shenzhen Zhibotong Electronics Co., Ltd was established in 2010, located at Longhua District, Shenzhen, China.

ZBT is a professional manufacturer for network devices, with around 500 staffs, including 50-person R & D team, 10,000 Square meters production area.

Main products include openWRT Wi-Fi router, 4G/5G router, WiFi 6, Vehicle router, AP, Outdoor router, MiFi, LTE CPE, etc. All of our products are designed, developed and produced by ourselves, with appearance patent and software patent. Support OEM/ODM service.

ZBT built a long term cooperation with Mediatek, Qualcomm and Realtek, capably offering stable quality products, and fast after-sale service. Main customers includes China Mobile, Vivacom in Bulgaria, Sprint, T-Mobile, AT&T in USA, Smart in Philippine, Vodafone in France etc.

ZBT strictly follow ISO9001, ISO14001, CCC, CE and FCC standard, make sure all of our products can meet client's different requirements in different countries.

ZBT has professional QC team to check every procedure strictly, including raw materials, SMT, DIP, Testing, and Assembly. All of products are 100% checked before shipping.



CCC

CE

FCC

ISO9001

Sviaz

Alibaba Certificate

High Tech

5G WiFi6 Router



Parameter	Z8102AX-M2-A-T	Z8102AX-M2-T	Z8102AX-S
Chipset	MT7981, CPU 1.3GHz	MT7981, CPU 1.3GHz	MT7981B+MT7976CN
Flash/Ram	128MB Nand Flash, EMMC (optional)/1GB DDR4 RAM	128MB Nand Flash, EMMC (optional)/1GB DDR4 RAM	128MB SPI NAND Flash, EMMC 8GB (optional) Nor Flash 16MB(optional)/1GB DDR4 RAM
WiFi frequency/Wireless rate	2.4GHz and 5.8GHz, 3000Mbps	2.4GHz and 5.8GHz, 3000Mbps	2.4GHz and 5.8GHz, 3000Mbps
Antenna	2*Detachable 2.4G antennas 3*Detachable 5.8G antennas 4*Detachable 5G mobile communication antennas	2*Detachable 2.4G antennas 3*Detachable 5.8G antennas 8*Detachable 5G mobile communication antennas	2*external 5G mobile communication & 2.4Ghz antennas 2*external 5G mobile communication & 5.8Ghz antennas 4*external 5G mobile communication antennas 1*internal 5.8GHz antenna
Interface	1*10/100/1000M WAN port 4*10/100/1000M LAN port 1*M.2 Slot 2*SIM Card Slot 1*USB 3.0 port 1*DC Port,1*Reset Button	1*10/100/1000M WAN port 4*10/100/1000M LAN port 2*M.2 Slot 2*SIM Card Slot 1*USB 3.0 port 1*DC Port,1*Reset Button	1*10/100/1000M WAN port 4*10/100/1000M LAN ports 2*M.2 slot 2*SIM card slot 1*DC port, 1*Reset button
Accessories	1*Ethernet cable, 1*12V/3A power adapter	1*Ethernet cable, 1*12V/3A power adapter	1*Ethernet cable, 1*12V 3A power adapter
Software	Openwrt	Openwrt	Openwrt
Product size	235*165*23mm	235*165*23mm	340*162*34mm
Packing box size	337*237*59mm	337*237*59mm	374*236*68mm
Qty/carton	10pcs/carton	10pcs/carton	10pcs/carton
Category	5G Network	5G Network	5G Network
Region	North America/Europe/APAC	North America/Europe/APAC	North America/Europe/APAC



Parameter	Z800AX-T	Z8105AX-M2-C	Z8105AX-M2-T
Chipset	IPQ8072A	MT7981, CPU 1.3GHz	MT7981, CPU 1.3GHz
Flash/Ram	Nor Flash 8MB+Nand Flash 256MB/1GB DDR4	128M nand flash/256M DDR3 RAM	128M nand flash/256M DDR3 RAM
WiFi frequency/Wireless rate	2.4GHz and 5.8GHz, Max 3600Mbps	2.4GHz and 5.8GHz, 3000Mbps	2.4GHz and 5.8GHz, 3000Mbps
Antenna	4*external 2.4G antennas 4*external 5.8G antennas 4*external 5G antennas	2*Internal 2.4G antennas 3*Internal 5.8G antennas 4*Internal 5G mobile communication antennas	2*Detachable 2.4G antennas 3*Detachable 5.8G antennas 4*Detachable 5G mobile communication antennas
Interface	1*10/100/1000M WAN port 4*10/100/1000M LAN ports 1*Sim card slot 1*M.2 slot 1*DC port, 1*USB3.0 port 1*Mesh button, 1*Reset button	1*1G/2.5G WAN port 3*10/100/1000M LAN port 1*M.2 Slot 2*SIM Card Slot 1*DC Port,1*Reset Button	1*1G/2.5G WAN port 3*10/100/1000M LAN port 1*M.2 Slot 2*SIM Card Slot 1*DC Port,1*Reset Button
Accessories	1*Etherner cable,1*12V 3A power adapter	1*Ethernet cable, 1*12V/3A power adapter	1*Ethernet cable, 1*12V/3A power adapter
Software	Openwrt	Openwrt	Openwrt
Product size	300*210*50mm	220*171*48mm	200*150*15mm
Packing box size	394*200*56mm	330*191*65mm	242*220*52mm
Qty/carton	10pcs/carton	20pcs/carton	10pcs/carton
Category	5G Network	5G Network	5G Network
Region	North America/Europe/APAC	North America/Europe/APAC	North America/Europe/APAC


  			
Parameter	Z6001AX-M2-C	Z6001AX-M2-D	Z6001AX-M2-T
Chipset	Qualcomm IPQ6000+ QCN5022+QCN5052	Qualcomm IPQ6000+ QCN5022+QCN5052	Qualcomm IPQ6000+QCN5022+QCN5052
Flash/Ram	128M Nand Flash/256M RAM	128M Nand Flash/256M RAM	128MB NAND Flash / 256MB DDR3 RAM
WiFi frequency/Wireless rate	2.4GHz and 5.8GHz, Max 1800Mbps	2.4GHz and 5.8GHz, Max 1800Mbps	2.4GHz and 5.8GHz, 1800Mbps
Antenna	2*WIFI antennas 4*5G/4G antennas	2*WIFI antennas 4*5G/4G antennas	2*2.4G antennas 2*5.8G antennas 4*5G/4G antennas
Interface	1*10/100/1000M WAN port 3*10/100/1000M LAN ports 1*SIM card slot 1*DC port 1*Reset button, 1*Mesh button	1*10/100/1000M WAN port 3*10/100/1000M LAN ports 1*SIM card slot 1*DC port 1*Reset button, 1*Mesh button	1*10/100/1000M WAN port 3*10/100/1000M LAN ports 1*M.2/Mini PCIE slot 1*SIM card slot 1*DC port 1*Reset button, 1*Mesh button
Accessories	1*Ethernet cable,1*12V 2A power adapter	1*Ethernet cable,1*12V 2A power adapter	1*Ethernet cable, 1*12V 2A Power Adapter
Software	Openwrt/OS	Openwrt/OS	Openwrt/OS
Product size	220*171*47.5mm	220*171*47.5mm	160*93*31.9mm
Packing box size	330*191*65mm	330*191*65mm	550*405*310mm
Qty/carton	20pcs/carton	20pcs/carton	20pcs/carton
Category	5G OR 4G Option (CAT4, CAT6, CAT12, CAT16)	5G OR 4G Option (CAT4, CAT6, CAT12, CAT16)	5G OR 4G Option (CAT4, CAT6, CAT12, CAT16)
Region	North America/Europe/APAC	North America/Europe/APAC	North America/Europe/APAC

  			
Parameter	Z2101AX-M2-T	Z2105AX-M2-E	Z2105AX-2SIM-M2-T
Chipset	MT7621A	MTK7621A	MT7621A
Flash/Ram	Nor Flash 16MB, Ram DDR3 256MB	16MB Nor Flash/256MB DDR3 RAM	Nor Flash 16MB, Ram DDR3 256MB
WiFi frequency/Wireless rate	2.4GHz and 5.8GHz, 1800Mbps	2.4GHz and 5.8GHz, 1800Mbps	2.4GHz and 5.8GHz, 1800Mbps
Antenna	2*2.4G antennas, 2*5.8G antennas 4*5G/4G antennas	2*5dbi dual band external wifi antennas 4*5dbi external 5G antennas	2*2.4G antennas, 2*5.8G antennas 4*5G/4G antennas
Interface	1*10/100/1000M WAN port 3*10/100/1000M LAN ports 1*M.2/Mini PCIE slot 1*SIM card slot 1*DC port 1*Reset button, 1*Mesh button	1*10/100/1000M WAN port 3*10/100/1000M LAN ports 1*M.2/Mini PCIE slot 2*SIM card slot 1*DC port 1*Reset button, 1*Mesh button	1*10/100/1000M WAN port 3*10/100/1000M LAN ports 1*M.2/Mini PCIE slot 2*SIM card slot 1*DC port 1*Reset button, 1*Mesh button
Accessories	1*12V 2A power adapter 1*Ethernet cable	1*Ethernet cable, 1*12V 2A Power Adapter	1*12V 2A power adapter 1*Ethernet cable
Software	Openwrt/OS	Openwrt/OS	Openwrt/OS
Product size	160*93*31.9mm	220*171*47.5mm	160*93*31.9mm
Packing box size	550*405*310mm	330*191*65mm	550*405*310mm
Qty/carton	20pcs/carton	20pcs/carton	20pcs/carton
Category	5G OR 4G Option (CAT4, CAT6, CAT12, CAT16)	5G OR 4G Option (CAT4, CAT6, CAT12, CAT16)	5G OR 4G Option (CAT4, CAT6, CAT12, CAT16)
Region	North America/Europe/APAC	North America/Europe/APAC	North America/Europe/APAC



Parameter	Z5005AX-M2-B	Z8106AX-M2-S
Chipset	Qualcomm IPQ5018+QCN6102	MT7981B,CPU 1.3GHz
Flash/Ram	128MB NAND FLASH/DDR3 512MB RAM	128MB Nand Flash,EMMC 8GB(optional) Nor Flash 16MB(optional),256M DDR3 RAM
WiFi frequency/Wireless rate	2.4Ghz+5.8Ghz, Max 3000Mbps	2.4GHz and 5.8GHz,3000Mpbs
Antenna	2*2.4Ghz antennas 2*5.8Ghz antennas+4*5G antennas	2*internal 2.4G antennas,3* internal 5.8G antennas. 4*internal 5G mobile communication antennas
Interface	1*1G/2.5G WAN port 3*10/100/1000M LAN ports 1*M.2/Mini PCIE slot 2*SIM card slot 1*DC port 1*Reset button, 1*Mesh button	1*10/100/1000M WAN Port 4*10/100/1000M LAN Ports 1*M.2 Slot 2*SIM card slots 1*USB 3.0 port 1*DC port, 1*Reset Button
Accessories	1*12V 2A power adapter 1*Ethernet cable	1*Ethernet cable,1*12V/2A power adapter
Software	Openwrt/OS	Openwrt/OS
Product size	160*93*31.9mm	110*110*276mm
Packing box size	550*405*310mm	570*240*572mm
Qty/carton	20pcs/carton	20pcs/carton
Category	5G OR 4G Option (CAT4, CAT6, CAT12, CAT16)	5G Network
Region	North America/Europe/APAC	North America/Europe/APAC

5G Wifi Router



Parameter	WG1608	WG827
Chipset	MT7621A/Dual core/880MHz	MT7621DA
Flash/Ram	16MB/256MB (Max 32MB/512MB)	16MB/128MB(Max 32MB/128MB)
WiFi frequency/Wireless rate	2.4GHz and 5.8GHz, 1200Mbps	2.4GHz, 300Mbps
Antenna	2*Dual Band wifi antennas 4*5G/4G antennas 1*GPS antenna (option)	2*wifi antennas 4*4G/5G antennas(optional)
Interface	1*10/100/1000M WAN port 4*10/100/1000M LAN ports 1*Mini PCIE/M.2 slot 1*SIM card slot 1*USB 3.0 port 1*Micro SD card slot 1*DC port, 1*Reset button	1*10/100/1000M WAN port 4*10/100/1000M LAN ports 1*M.2 slot 1*SIM card slot 1*DC port, 1*Reset button
Accessories	1*12V 2A power adapter, 1*Ethernet cable	1*12V 1.5A power adapter, 1*Ethernet cable
Software	Openwrt	Openwrt
Product size	240*135*26mm	110*83*31mm
Packing box size	340*162*54mm	222*132*54mm
Qty/carton	10pcs/carton	20pcs/carton
Category	5G OR 4G Option (CAT4, CAT6, CAT12, CAT16)	5G Network
Region	North America/Europe/APAC	North America/Europe/APAC

Dual SIM Cards 4G Router



Parameter	WG1602 (Dual Sim Slots)	WE2806 (Two Sim Card Slots)
Chipset	MTK7621A+MTK7603EN+MTK7612EN	MT7628AN/580MHz
Flash/Ram	DDR3 RAM/256MB/SPI Flash/16MB	8MB/64MB (Max 32MB/256MB)
WiFi frequency/Wireless rate	2.4GHz and 5.8GHz, 1200Mbps	2.4GHz, 300Mbps
Antenna	2*5dbi high-gain dual-band antennas 4*5dbi high-gain 4G antennas	2*2.4G wifi external antennas 4*3G/4G external antennas(optional)
Interface	1*10/100/1000M WAN port 4*10/100/1000M LAN ports 2*SIM card slots 2*Built-in PCIE slots 1*USB 2.0 interface 1*Micro SD card slot 1*DC port, 1* Reset button	1*10/100M WAN port 3*10/100M LAN ports 2*PCIE slots 2*SIM card slots 1*Micro SD card slot 1*DC port, 1*Reset button
Accessories	1*12V2ADC power adapter, 1*Ethernet cable	1*12V2A power adapter, 1*Ethernet cable
Software	Openwrt/OS	Openwrt/OS
Product size	165*235*23mm	170*110*27mm
Packing box size	335*235*63mm	265*205*52mm
Qty/carton	10pcs/carton	20pcs/carton
Category	Cat4 OR Cat6 4G	Cat4 OR Cat6 4G
Region	North America Version/Europe/Africa Version Asia Version/Australia/Latin Amercia Version	North America Version/Europe/Africa Version Asia Version/Australia/Latin Amercia Version



Parameter	WE826-T3	WE826-Q-WD	WD523
Chipset	MT7628	QCA9531	MT7628DAN
Flash/Ram	16M/128M (Max 32MB/256MB)	16MB/128MB (Max 32MB/256MB)	16MB/64MB (Max 32MB/64MB)
WiFi frequency/Wireless rate	2.4GHz/Max 300Mbps	2.4GHz, 300Mbps	2.4GHz, 300Mbps
Antenna	2*2.4G 5dbi external wifi antennas 2*2.4G 5dbi external 4G antennas	2*2.4G 5dbi external wifi antennas 2*2.4G 5dbi external 4G antennas	2*2.4G external antennas 2*4G external antennas
Interface	1*10/100M WAN port 4*10/100M LAN ports 1*PCIE slot 1*SIM card slot 1*USB 2.0 port 1*Micro SD card slot 1*DC port 1*reset button	1*10/100M WAN port 4*10/100M LAN ports 1*PCIE slot 1*SIM card slot 1*USB 2.0 port 1*Micro SD card slot 1*DC port, 1*Reset button	1*10/100M WAN port 1*10/100M LAN port 1*Standard SIM Card slot 1*6pin connector 1*DC port 1*Reset button
Accessories	1*12V 1A power adapter, 1*Ethernet cable	1*12V 1A power adapter, 1*Ethernet cable	1*8P8C RJ45 cable, 1*user manual
Software	Openwrt/OS	OS	Openwrt
Product size	141*85*26mm	141*85*26mm	100*30*13mm
Packing box size	233*172*54mm	233*172*54mm	215*92*54mm
Qty/carton	20pcs/carton	20pcs/carton	20pcs/carton
Category	Cat4 OR Cat6 4G	Cat4 OR Cat6 4G	Cat4 OR Cat6 4G
Region	North America Version/Europe/Africa Version Asia Version/Australia/Latin Amercia Version	North America Version/Europe/Africa Version Asia Version/Australia/Latin Amercia Version	North America Version/Europe/Africa Version Asia Version/Australia/Latin Amercia Version



Parameter	WE2416	WG3526
Chipset	QCA9531	MT7621A/Dual core/880MHz
Flash/Ram	16MB/128MB (Max 32MB/256MB)	16MB/256MB (Max 32MB/512MB)
WiFi frequency/Wireless rate	2.4GHz, 300Mbps	2.4GHz and 5.8GHz, 1200Mbps
Antenna	2*4G detachable 5dbi antennas 2*Non-detachable 5dbi antennas (customers can choose the antennas for the lte module)	2*2.4G 5dbi external antennas 2*5.8G 5dbi external antennas 2*3G/4G antennas(optional)
Interface	1*10/100M WAN port, 4*10/100M LAN ports 1*Mini PCIE slot 1*SIM card slot 1*USB port, 1*Micro SD card slot 1*DC port 1*Reset button	1*10/100/1000M WAN port 4*10/100/1000M LAN ports 1*PCIE slot 1*SIM card slot 1*USB 3.0 port 1*Micro SD card slot 1*DC port, 1*Reset button
Accessories	1*12V 1ADC power adapter, 1*Ethernet cable	1*12V 2A power adapter, 1*Ethernet cable
Software	Openwrt/OS	Openwrt/OS
Product size	170*108*28mm	235*164*22mm
Packing box size	265*220*50mm	333*232*60mm
Qty/carton	20pcs/carton	10pcs/carton
Category	Cat4 OR Cat6 4G	Cat4 OR Cat6 4G
Region	North America Version/Europe/Africa Version Asia Version/Australia/Latin Amercia Version	North America Version/Europe/Africa Version Asia Version/Australia/Latin Amercia Version

Smart 4G LTE Router



Parameter	WE2007-T	WE2001	WE2003
Chipset	MT7620	MTK7620N	MTK7620N
Flash/Ram	8MB/64MB	8MB/64MB	8MB/64MB
WiFi frequency/Wireless rate	2.4GHz , 300Mbps	2.4GHz/300Mbps	2.4GHz/300Mbps
Antenna	2*Non-detachable 2.4G antennas 2*Non-detachable 4G mobile communication antennas	2pcs wifi antennas 2pcs Built-in 4G antennas	2pcs Built-in wifi antennas 2pcs Built-in 4G antennas
Interface	1*10/100M WAN port 2*10/100M LAN port 1*mini-PCIE Slot 1*SIM Card Slot 1*DC Port,1*Reset Button	1*10/100Mbps WAN port 1*10/100Mbps LAN port 1*SIM slot 1*DC port 1*Reset button	1*10/100Mbps LAN port 1*SIM slot 1*DC port 1*Reset button
Accessories	1*Ethernet cable, 1*12V/1A power adapter	1*12V 1A power adapter, 1*Ethernet cable	1*12V 1A power adapter, 1*Ethernet cable
Software	Openwrt	Openwrt/OS	Openwrt/OS
Product size	170*108*28mm	141*86*26mm	103*103*90mm
Packing box size	265*220*50mm	265*150*48mm	160*138*140mm
Qty/carton	20pcs/carton	20pcs/carton	20pcs/carton
Category	4G Network	Cat4 4G	Cat4 4G
Region	North America/Europe/APAC	Europe/Africa Version/Asia Version Australia/Latin Amercia Version	Asia Version/Europe/Africa Version

  			
Parameter	WE2008-C	WG155	WE5927AC-A
Chipset	MT7620N	IPQ4019	MT7628NN
Flash/Ram	8M/64M	DDR3 256MB/Flash 32MB	8MB/64MB (Max 32MB/128MB)
WiFi frequency/Wireless rate	2.4GHz/300Mbps	2.4GHz and 5.8GHz, 1200Mbps	2.4GHz/300Mbps 5.8GHz/867Mbps
Antenna	2*Non detachable 2.4G antennas 2*Non detachable 4G antennas	2*5dbi 2.4GHz antennas 2*5dbi 5.8GHz antennas 2* internal 4G FPC antennas	2*5dbi 2.4G&5.8G external wifi antennas 2*4G 5dbi external antennas
Interface	1*10/100M WAN Port 1*10/100M LAN Ports 1*LCC/PCI-E Slot 1*SIM card slots 1*DC port, 1*Reset Button	1*PCI-E slot 1*SIM card slot 1*USB 3.0 port 1*Micro SD card slot 1*10/100/1000M WAN port 4*10/100/1000M LAN port 1*DC port 1*Reset button	1*10/100M WAN port 2*10/100M LAN ports 1*Nano SIM card slot 1*DC port 1*Reset button
Accessories	1*Ethernet cable,1*12V/1A power adapter	1* 12V 1ADC power adapter, 1* Ethernet cable	1*12V 1A DC power adapter, 1*Ethernet cable
Software	Openwrt/OS	Openwrt/OS	Openwrt/OS
Product size	138*82*20mm	132*164*30mm	205*130*28mm
Packing box size	260mm*245*46mm	260*200*70mm	342*218*58mm
Qty/carton	20pcs/carton	20pcs/carton	20pcs/carton
Category	Cat4 4G Network	Cat4 OR Cat6 4G	Cat4 4G
Region	Asia Version/Europe/Africa Version	North America Version/Europe/Africa Version Asia Version/Australia/Latin Amercia Version	North America Version/Europe/Africa Version Asia Version/Australia/Latin Amercia Version

Vehicle 4G/5G Router

  			
Parameter	WE1026	WE1026-2.4G	WE1026-5G
Chipset	MTK7620A	MTK7620A	MT7620A+MT7612E
Flash/Ram	16MB/128MB (Max 32MB/256MB)	16MB/128MB (Max 32MB/256MB)	16MB/128MB (Max 32M/256M)
WiFi frequency/Wireless rate	2.4GHz, 300Mbps	2.4GHz, 300Mbps	2.4GHz and 5.8GHz, 1200Mbps
Antenna	2*wifi antennas, 2*4G antennas 1*GPS antenna(optional)	2*wifi antennas, 2*4G antennas 1*GPS antenna(optional)	2*5dbi 2.4GHz antennas, 2*5dbi 5.8GHz antennas 2*5dbi 4G antennas, 1*GPS antenna(optional)
Interface	1*10/100M WAN port 1*10/100M LAN port 1*PCIE port 1*SIM card slot 1*Micro SD card slot 1*USB 2.0 port 1*4PIN DC interface 1*Reset button	1*10/100M LAN port 1*PCIE port 1*SIM card slot 1*Micro SD card slot 1*USB 2.0 port 1*4PIN DC interface 1*Reset button	1*10/100M LAN port 1*Standard SIM card slot 1*USB2.0 port 1*Micro SD card slot 1*4PIN DC interface 1*Reset button
Accessories	1*DC power cable, 1*U-shape power cable, 1*Key, 1*Ethernet cable	1*DC power cable, 1*U-shape power cable, 1*Key 1*Ethernet cable	1*DC power cable, 1*U-shape power cable, 1*Key 1*Ethernet cable
Software	Openwrt/OS	Openwrt/OS	Openwrt/OS
Product size	170*104*28mm	168*104*27mm	170*105*30mm
Packing box size	286*261*50mm	370*270*55mm	350*205*56mm
Qty/carton	20pcs/carton	20pcs/carton	20pcs/carton
Category	Cat4 OR Cat6 4G	Cat4 OR Cat6 4G	Cat4 OR Cat6 4G
Region	North America Version/Europe/Africa Version Asia Version/Australia/Latin Amercia Version	North America Version/Europe/Africa Version Asia Version/Australia/Latin Amercia Version	North America Version/Europe/Africa Version Asia Version/Australia/Latin Amercia Version



Parameter	WG259	Z8106AX-M2-T
Chipset	MTK7621A+MTK7603EN+MTK7612EN	MT7981B,CPU 1.3GHz
Flash/Ram	32MB/512MB	128MB Nand Flash,EMMC 8GB(optional),Nor Flash 16MB(optional) 256M DDR3 RAM
WiFi frequency/Wireless rate	2.4GHz and 5.8GHz, 1200Mbps	2.4GHz and 5.8GHz,3000Mbps
Antenna	2*5dbi 2.4GHz antennas, 2*5dbi 5.8GHz antennas 2*5dbi 4G antennas, 1*GPS antenna (optional)	2* Detachable 2.4G antennas,3* Detachable 5.8G antennas. 4*Detachable 5G mobile communication antennas
Interface	1*PCI-E slot 1*Standard SIM card slot 1*USB 3.0 port 1*Micro SD card slot 1*4PIN DC interface 1*10/100/1000M WAN port 3*10/100/1000M LAN ports 1*Reset button 1*SATA port	1*10/100/1000M WAN Port 4*10/100/1000M LAN Ports 1*M.2 Slot 2*SIM card slots 1*USB 3.0 port,1*4 PIN Slot 1*DC port, 1*Reset Button
Accessories	1*DC power cable, 1*U-shape power cable, 1*Ethernet cable	1*Ethernet cable,1*12V/2A power adapter
Software	Openwrt/OS	Openwrt/OS
Product size	195*132*35mm	162*128*43mm
Packing box size	332*210*45mm	262*220*56mm
Qty/carton	20pcs/carton	20pcs/carton
Category	Cat4 OR Cat6 4G	5G Network
Region	North America Version/Europe/Africa Version Asia Version/Australia/Latin Amercia Version	North America/Europe/APAC

Outdoor 5G/4G Wifi Router



Parameter	CPE2801 (Two versions:1*SIM Card Slot and 2*SIM card Slots)	Z6001AX-M2-H	Z2105AX-M2-H
Chipset	MT7628NN	IPQ6000+QCN5022+QCN5052	MTK7621A+MT7905D+MT7975D
Flash/Ram	16MB Nor Flash+ 128MB DDR2	128MB NAND FLASH/256MB DDR3	16MB Nor Flash/256MB DDR3 RAM
WiFi frequency/Wireless rate	2.4 GHz,300Mbps	2.4GHz and 5.8GHz, 1800Mbps	2.4GHz and 5.8GHz, 1800Mbps
Antenna	2*4G 5DB detachable sword antenna 2*Built-in 4G 5DB onboard PIFA antenna 2*Built-in WIFI onboard antenna	2*8dBi undetachable 2.4GHz+5G antennas 2*8dBi undetachable 5.8GHz+5G antennas	2*8dBi undetachable 2.4GHz+5G antennas 2*8dBi undetachable 5.8GHz+5G antennas
Interface	1*10*100M WAN port 1*10*100M LAN port 2*SIM card slots 2*eSIM card slot (supporting SIM/USIM) 2*mini-PCIE/LCC slot 1*USB2.0 port 1*Reset button	1*PCIE/M.2 slot 1*SIM card slot 1*Reset button 1*MESH button 1*10/100/1000M LAN port (Support standard POE)	1*PCIE/M.2 slot 1*SIM card slot 1*Reset button 1*MESH button 1*10/100/1000M LAN port (Support standard POE)
Accessories	1*Ethernet Cable 1*48V/0.5A Power adapter	1*User Manual 1*Network cable	1*User Manual 1*Network cable
Software	Openwrt/OS	Openwrt/OS	Openwrt/OS
Product size	335*80*105mm	232*255*110mm	232*255*110mm
Packing box size	605*305*315mm	605*305*315mm	605*305*315mm
Qty/carton	20pcs/carton	2pcs/carton	2pcs/carton
Category	4G Network	5G OR 4G Option (CAT4, CAT6, CAT12, CAT16)	5G OR 4G Option (CAT4, CAT6, CAT12, CAT16)
Region	North America/Europe/APAC	North America/Europe/APAC	North America/Europe/APAC



Parameter	Z8105AX-M2-H	WE1026-H	WE826-Q-H
Chipset	MT7981, CPU 1.3GHz	MTK7620A	QCA9531
Flash/Ram	128MB Nand Flash, EMMC (optional) 1GB DDR4 RAM	16MB/128MB (Max 32MB/256MB)	16MB/128MB (Max 32MB/256MB)
WiFi frequency/Wireless rate	2.4GHz and 5.8GHz, 3000Mbps	2.4GHz, 300Mbps	2.4GHz, 300Mbps
Antenna	2*Detachable 2.4G +5G mobile communication antennas 2*Detachable 5.8G +5G mobile communication antennas	2*8dbi external wifi antennas, 2*8dbi external 4G antennas(optional)	2*8dbi external wifi antennas, 2*8dbi external 4G antennas(optional)
Interface	1*10/100/1000M LAN port 1*M.2 Slot 2*SIM Card Slot 1*DC Port,1*Reset Button	1*PCIE slot 1*SIM card slot 1*Micro SD card slot 1*USB 2.0 port 1*DC port, 1*Reset button 1*10/100M LAN port (support POE power supply)	1*PCIE port 1*SIM card slot 1*Micro SD card slot 1*USB 2.0 port 1*DC port, 1*Reset button 1*10/100M LAN port (support POE power supply)
Accessories	1*Ethernet cable 1*48V/0.5A POE power adapter	1*12V 1A POE power adapter 1*Ethernet cable	1*15V 1A POE power adapter 1*Ethernet cable
Software	Openwrt	Openwrt/OS	Openwrt/OS
Product size	232*255*110mm	230*152*78mm	230*152*78mm
Packing box size	350*328*145mm	328*294*96mm	328*294*96mm
Qty/carton	4pcs/carton	5pcs/carton	5pcs/carton
Category	5G OR 4G Option (CAT4, CAT6, CAT12, CAT16)	Cat4 OR Cat6 4G	Cat4 OR Cat6 4G
Region	North America/Europe/APAC	North America Version/Europe/Africa Version Asia Version/Australia/Latin Amercia Version	North America Version/Europe/Africa Version Asia Version/Australia/Latin Amercia Version



Parameter	WD323-H001	WG1602-H
Chipset	AR9344	MT621, CPU 880GHz
Flash/Ram	16MB/128MB (32MB/256MB)	16MB /256MB (MAX 32/512M)
WiFi frequency/Wireless rate	2.4GHz, 300Mbps	2.4GHz and 5.8GHz, 1200Mbps
Antenna	2*2.4GHz 8dBi fiberglass antenna 4*4GHz 8dBi fiberglass antenna	2*Detachable dual band wifi antennas 4*Detachable 4G mobile communication antennas
Interface	2*PCIE slots 2*SIM card slots 1*USB port 1*Reset button 1*DC port 1*10/100M LAN port (Support POE power supply)	1*10/100/1000M LAN port 2*mini-PCIE Slot 2*SIM Card Slot 1*Reset Button
Accessories	1*24V 1A POE power adapter, 1*Base plate 1*L shape mounting bracket, 2*U shape mounting bracket 2*mounting bracet for U shape clamp	1*Ethernet cable, 1*48V/0.5A POE supply
Software	Openwrt	Openwrt
Product size	280*162*89mm	280*162*89mm
Packing box size	380*262*139mm	380*262*139mm
Qty/carton	4pcs/carton	4pcs/carton
Category	Cat4 OR Cat6 4G	4G Network
Region	North America Version/Europe/Africa Version Asia Version/Australia/Latin Amercia Version	North America/Europe/APAC

Wireless Router



Parameter	Z8103AX-C	Z8103AX-D	Z8103AX-E
Chipset	MT7981, CPU 1.3GHz	MT7981B	MT7981, CPU 1.3GHz
Flash/Ram	128MB Nand Flash, EMMC 8GB(optional) 1GB DDR4 RAM	NAND Flash 128MB/DDR3 256MB	128MB Nand Flash, EMMC 8GB(optional) 1GB DDR4 RAM
WiFi frequency/Wireless rate	2.4GHz and 5.8GHz, 3000Mbps	2.4GHz and 5.8GHz,Max 3000Mbps	2.4GHz and 5.8GHz, 3000Mbps
Antenna	2*internal 2.4G antennas 3*internal 5.8G antennas	2*external 2.4G antennas 3*external 5.8G antennas 1*external fake antenna	2*external 2.4G antennas 2*external 5.8G antennas 1*internal 5.8G antennas
Interface	1*10/100/1000M WAN port 3*10/100/1000M LAN port 1*DC Port,1*Reset Button	1*10/100/1000M WAN port 3*10/100/1000M LAN ports 1*DC port, 1*Reset button 1*Mesh button	1*10/100/1000M WAN port 3*10/100/1000M LAN port 1*DC Port,1*Reset Button
Accessories	1*Ethernet cable, 1*12V/3A power adapter	1*12V/1A power adapter, 1*User manual 1*Ethernet cable	1*Ethernet cable, 1*12V/3A power adapter
Software	Openwrt	Openwrt/OS	Openwrt
Product size	220*171*475mm	220*171*47.5mm	220*171*48mm
Packing box size	330*191*65mm	330*191*65mm	330*191*65mm
Qty/carton	20pcs/carton	20pcs/carton	20pcs/carton



Parameter	Z600AX-C	WG2105	WE1626
Chipset	Qualcomm IPQ6000+QCN5022+QCN5052	MT7621A/Dual core/880MHz	MT7620N/580MHz
Flash/Ram	128MB/256MB (Max 512MB+1GB)	16MB/128MB	8MB/64MB (Max 16MB/64MB)
WiFi frequency/Wireless rate	2.4GHz and 5.8GHz, 1800Mbps	2.4GHz and 5.8GHz, 1200Mbps	2.4GHz, 300Mbps
Antenna	2*2.4G 5dbi external antennas 2*5.8G 5dbi external antennas	2*2.4G 5dbi external antennas 2*5.8G 5dbi external antennas	4*2.4G 5dbi external antennas
Interface	1*10/100/1000M WAN port 3*10/100/1000M LAN ports 1*USB3.0 port 1*DC port, 1*Reset button 1*Mesh button	1*10/100/1000M WAN port 4*10/100/1000M LAN ports 1*USB 2.0 port 1*Micro SD card slot 1*DC port, 1*Reset button	1*10/100M WAN port 4*10/100M LAN ports 1*USB 2.0 port 1*DC port 1*Reset button
Accessories	1*12V 1A DC power adapter 1*Ethernet cable	1*12V 1A power adapter 1*Ethernet cable, 1*user manual	1*9V 0.6A power adapter(by default) 1*User Manual 1*Network cable
Software	Openwrt/OS	Openwrt/OS	Openwrt/OS
Product size	205*130*28mm	220*130*28mm	138*82*20mm
Packing box size	342*218*58mm	332*232*60mm	260*245*46mm
Qty/carton	20pcs/carton	20pcs/carton	20pcs/carton



SHENZHEN ZHIBOTONG ELECTRONICS CO.,LTD.

ADD: Bldg A2,hedian Industrial Park,NO.9 shijing Rd, Guanlan,
Longhua District,ShenZhen,China

Tel: 0086-755-29735015

FAX: 0086-755-29567380

Website: WWW.zbtwifi.com

Email: zbt06@zbt-china.com

Email: zbt08@zbt-china.com